



DDR4 UDIMM

Product Features

- JEDEC Standard 1.2V (1.26V~1.14V)
- Operating Environment: 0°C ~ 85°C
- RoHS Compliance
- CE/FCC Certification

Overview: Quantum Digital Technology DDR4 UDIMM offers the industry's latest memory speed with 3200MT/s - the perfect fit for any application. The modules are JEDEC standards and are available in 4GB to 32GB capacities.

Specifications:

Interface	DDR4
Form Factor	UDIMM
Data Rate	2133 MT/s, 2400 MT/s, 2666 MT/s, 2933 MT/s, 3200 MT/s
Capacity	4GB, 8GB, 16GB, 32GB
Function	Non-ECC Unbuffered Memory
Pin Number	288pin
Width	64Bits
Voltage	1.2V
PCB Height	1.23 Inches
Operating Temperature	0°C to 85°C
Anti-Sulfuration	Y

Order Information:

Density	Component Composition	Custom Part Number	Rank	Voltage	Description
2GB	256Mx16	TBD	1RX16	1.2V	DDR4 2666 UDIMM
4GB	256Mx16	TBD	2RX16	1.2V	DDR4 2666 UDIMM
4GB	512Mx16	TBD	1RX16	1.2V	DDR4 3200 UDIMM
4GB	512Mx8	TBD	1Rx8	1.2V	DDR4 3200 UDIMM
8GB	512Mx8	TBD	2RX8	1.2V	DDR4 3200 UDIMM
8GB	512Mx16	TBD	2RX16	1.2V	DDR4 3200 UDIMM
8GB	1Gx8	TBD	1RX8	1.2V	DDR4 3200 UDIMM
8GB	1Gx16	TBD	1RX16	1.2V	DDR4 3200 UDIMM
16GB	1Gx8	TBD	2RX8	1.2V	DDR4 3200 UDIMM
16GB	1Gx16	TBD	2RX16	1.2V	DDR4 3200 UDIMM
16GB	2Gx8	TBD	1RX8	1.2V	DDR4 3200 UDIMM